
Meridian 1

Option 11C

2.0 Mb DTI/PRI Administration and Maintenance guide

Document Number: 553-3011-315

Document Release: Standard 9.00

Date: October 1997

© 1992, 1997

All rights reserved

Printed in Canada

Information is subject to change without notice. Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant. This equipment has been tested and found to comply with the limits for a Class A digital device pursuant to Part 15 of the FCC rules, and the radio interference regulations of Industry Canada. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses and can radiate radio frequency energy, and if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at their own expense.

Meridian 1 is a trademark of Northern Telecom.

Revision history

October 1997

Release 9.00, Standard, for Generic X11 Release 23.

September 1996

Release 8.00, Standard, for Generic X11 Release 22.

November 1995

Release 7.00, Standard, for Generic X11 Release 21B.

July 1995

Release 6.00, Standard, for Generic X11 Release 21A.

December 1994

Release 5.00, Standard, for Generic X11 Release 20.

July 1994

Release 4.00, Standard.

October 1993

Release 3.00, Standard.

January 1993

Release 2.00, Standard.

June 1992

Release 1.00, Standard.

Contents

About this guide	v
Chapter 1 — ISDN and DTI Interfaces	1
Overview	1
ISDN interfaces	4
Integrated Digital Access (IDA)	17
Chapter 2 — ISDN feature descriptions	21
Overview	21
Advice of Charge	22
Advice of Charge for Central Office Connectivity	31
Attendant and Network Wide Remote Call Forward	40
Attendant Blocking of DN	44
Attendant Through Dialing Networkwide	52
Automatic Redial	59
Backup D-channel	69
Basic Call Service	71
Break-in with secrecy	73
Break-in indication and prevention	73
Call charging under 1 TR 6 connections	76
Call Connection Restriction	81
Call Forward All Calls/No Answer	82
Call Forward, Break-In and Hunt Internal or External Network Wide	83

Call Forward/Hunt Override via Flexible Feature Code	87
Call Page Network Wide	94
Call Park Network Wide	97
Call Pickup Network Wide	105
Calling Line Identification	115
Calling Line Identification in Call Detail Records	118
Calling Party Privacy	120
Data Packet Network Access X.25	135
DID-to-Network Calling	136
Digit Key Signaling at console	137
Digital Trunk Interface and Primary Rate Interface Time Slot Reuse	138
Display of Calling Party Denied	139
E.164/ESN Numbering Plan Expansion	149
Electronic Lock Network Wide/Electronic Lock on Private Lines ...	159
Error Handling on ISDN Signaling Link Analog E&M TIE Trunks .	163
ESN on PRI/ISL	166
Equi-distribution routing, network attendant service	168
EuroISDN Continuation	170
EuroISDN Continuation Phase III	178
EuroISDN Malicious Call Identification	200
EuroISDN Trunk - Network Side	212
Flexible Numbering Plan	221
Flexible Numbering Plan Enhancement	224
Idle Extension Notification	226
In-Band ANI (Automatic Number Identification)	229
Incoming Trunk Programmable Calling Line Identification	230
Integrated Service Access (ISA)/Call by Call Service (CBC)/Dynamic Channel Assignment (DCA)	232
ISDN International 1.5/2 Mb/s Gateway	233
ISDN PRI Central Office connectivity	237

Intercept Computer Dial from Directory	276
ISDN Calling Line Identification enhancements	281
ISDN QSIG	307
ISDN QSIG/EuroISDN Call Completion	311
ISDN QSIG Call Diversion Notification	319
ISDN QSIG Generic Functional Transport	335
ISDN QSIG Name Display	337
ISDN QSIG Path Replacement	342
ISDN Semi Permanent Connections for Australia	355
ISDN Signaling Link (ISL)	362
Japan D70 nB+D	363
Japan TTC Common Channel Signaling	365
Malicious Call Trace enhancements	373
Meridian Hospitality Voice Services	378
Meridian Mail Trunk Access Restriction	383
Meridian Network Services Drop Back Busy and Off-hook Queuing .	390
Message Waiting Indication (MWI) Interworking with DMS	391
Multi-purpose Serial Data Link (MSDL) DCH Handler	400
Network ACD (NACD)	400
Network and Executive Distinctive Ringing	402
Network Alternate Route Selection	403
Network Application Protocol Enhancement	404
Network Attendant Service	405
Network Call Party Name Display and Network Name Delivery (NND)	419
Network Call Redirection (NCRD)	422
Network Call Transfer and Attendant Extended Calls	423
Network Hunt	423
Network Individual Do Not Disturb	423
Network Intercom (Hot Type D and Hot Type I Enhancements)	425
Network Message Services - Message Centre	431

Network Message Services - Meridian Mail	432
Network Ring Again	435
Network Tenant Service	437
Network Time Synchronization	439
Network Wide Listed Directory Numbers	440
Non-Associated Signaling Channels (nB+D)	442
NPI and TON in CDR Tickets	443
Network Signaling on Virtual Network Services	456
Option 11 Downloadable D-Channel	463
Radio Paging Improvement	465
Radio Paging Product Improvement Continuation	468
Feature operation	476
Recall With Priority During Night Service	476
Remote Virtual Queuing	476
Ring Again on No Answer	487
Slow Answer Recall Enhancement	487
Station Activity Records	490
T309 Timer	491
Total Redirection Count	492
Trunk Anti-Tromboning	495
Trunk Optimization (Meridian 1 to Meridian 1 only)	535
Trunk to Trunk Connection	538
Virtual Network Services	543
Virtual Network Services Virtual Directory Number Expansion	563
X08/X11 Gateway	565
Meridian 1 Feature Packages	565
 Chapter 3 — DPNSS1/DASS2 features description and implementation	 573
Overview	573
DPNSS1/DASS2 feature descriptions	573

DPNSS1 supplementary services	582
DPNSS1 Attendant Call Offer	582
DPNSS1 Attendant Timed Reminder Recall and Attendant Three Party Service	587
DPNSS1 Diversion	592
DPNSS1 Executive Intrusion	599
DPNSS1 Extension Three Party Service	611
DPNSS1 Loop Avoidance	618
DPNSS1 Message Waiting Indication	623
Feature operation	631
DPNSS1 Night Service	632
DPNSS1 Redirection	638
DPNSS1 Route Optimization	643
DPNSS1 Route Optimisation/MCDN Trunk Anti-Tromboning Interworking	650
DPNSS1 Step Back on Congestion	662
DPNSS1/DASS2 Uniform Dialing Plan Interworking	669
Attendant Through Dialing Networkwide	685
ISDN to DPNSS1/DASS2 gateway	686
Standalone Meridian Mail	687
R2 Multifrequency Compelled Signaling to DPNSS1 Gateway	691
Virtual Network Services in the UK with DASS2/DPNSS1 Bearers ..	698
DASS2 feature descriptions	708
Feature operation	708
Data Calls	709
DPNSS1/DASS2 Limitations	709
DPNSS1/DASS2 Package Requirements	710
Chapter 4 — Network Clocking	713
Overview	713
Hierarchical synchronization	714

Guidelines	717
Digital Trunks	725
Option 11 clock controllers	726
Chapter 5 — 2 Mb DTI Implementation	729
Overview	729
Hardware Requirements	729
NTAK10 2 Mb DTI card	730
Installing DTI hardware	730
DTI software programming	734
Chapter 6 — 2 Mb PRI Implementation	757
Overview	757
Hardware requirements	758
Hardware description	759
Installing PRI hardware: NTAK79 PRI card	762
Installing PRI hardware: NTBK50 PRI card	767
PRI software programming	774
PRI software programming: Option 11 to Central Office (ISA)	786
Configuring Option 11 to Central Office (ISA)	791
Chapter 7 — DTI Maintenance	803
Overview	803
Replacing the NTAK10 2 Mb DTI card	804
Monitoring Option 11 DTI operation	805
Using Option 11 DTI maintenance tools	813
Chapter 8 — PRI Maintenance	823
Overview	823
Enabling the 2 Mb PRI after installation	823
Disabling the 2 Mb PRI before removal	824
Monitoring Option 11 PRI operation	825

Using Option 11 PRI maintenance tools	839
Chapter 9 — DPNSS1/DASS2 Implementation ...	849
Overview	849
DPNSS1/DASS2 Software programming	849
Chapter 10 — DPNSS1/DASS2 Maintenance	859
Overview	859
D-channel service states	859
B-channel service states	860
Manual maintenance	860
DPNSS1/DASS2 alarms	862
Test Messages	863
Initialize	863
Link Reset	863
Channel Reset	863
Stop Count	864
Channel Configuration	864
Chapter 11 — ISL Implementation and Maintenance	867
Overview	867
ISL Hardware Requirements	868
ISL hardware installation	871
ISL software programming	873
ISL maintenance	880
Chapter 12 — APNSS Implementation and Maintenance	883
Overview	883
APNSS hardware requirements	883
APNSS software programming	885

APNSS maintenance	890
Chapter 13 — ISDN Feature Implementation	891
Overview	891
Advice of Charge	891
Attendant and Network Wide Remote Call Forward	912
Attendant Blocking of DN	916
Attendant Through Dialing Networkwide	917
Automatic Redial	919
Backup D-channel	921
Call Forward, Break-In and Hunt Internal or External Network Wide	925
Call Page Network Wide	926
Call Park Network Wide	929
Calling Line Identification	931
Call Charging under 1 TR 6 Connections	933
Call Connection Restriction	935
Call Forward/Hunt Override via Flexible Feature Code	936
Call Pickup Network Wide	938
Calling Party Privacy	945
Display of Calling Party Denied	948
E.164/ESN Numbering Plan Expansion	949
Electronic Lock Network Wide/Electronic Lock on Private Lines ...	959
Equi-distribution NAS routing	965
Error Handling on ISDN Signaling Link Analog E&M TIE Trunks .	967
EuroISDN Continuation	968
EuroISDN Continuation Phase III	973
EuroISDN Malicious Call Identification	980
EuroISDN Trunk - Network Side	985
Flexible Numbering Plan	988
Flexible Numbering Plan Enhancement	991

Idle Extension Notification	992
Incoming Trunk Programmable Calling Line Identification	993
International 1.5/2.0 Mb/s Gateway	994
Integrated Services Access (ISA)	995
Intercept Computer Dial from Directory	999
ISDN PRI Central Office connectivity	1000
AXE-10 (Australia), non-Asia Pacific connectivity	1001
AXE-10 (Sweden), non-Asia Pacific connectivity	1002
NEAX-61 (New Zealand), non-Asia Pacific connectivity	1003
Numeris VN3 (France)	1006
SwissNet 2 (Switzerland)	1008
SYS-12 (Norway)	1009
1TR6 (Germany)	1010
EuroISDN	1011
Japan D70, non-Asia Pacific connectivity	1018
Asia Pacific ISDN PRI Central Office Connectivity	1019
ISDN Calling Line Identification enhancements	1029
ISDN Signaling Link	1035
ISDN QSIG/EuroISDN Call Completion	1042
ISDN QSIG Basic Call	1046
ISDN QSIG Call Diversion Notification	1048
ISDN QSIG Generic Functional Transport	1058
ISDN QSIG Name Display	1060
ISDN QSIG Path Replacement	1066
ISDN Semi Permanent Connections for Australia	1070
Japan D70 nB+D	1081
Japan Telecommunication Technology Committee (JTTC) Common Channel Signaling	1082
Malicious Call Trace enhancements	1086
Meridian hospitality voice services	1093

Meridian Mail Trunk Access Restriction	1094
Message Waiting Indication (MWI) Interworking with DMS	1095
Network Attendant Service	1101
Network and Executive Distinctive Ringing	1107
Network call redirection	1108
Network drop back busy and Off-hook queuing	1114
Network Individual Do Not Disturb	1116
Network Intercom (Hot Type D and Hot Type I Enhancements)	1118
Network Messaging Service — Message Centre	1120
Network Ring Again	1124
Network-wide Listed Directory Number	1128
Option 11 Downloadable D-Channel	1131
QSIG	1134
Radio Paging Improvement	1136
Radio Paging Improvement Continuation	1137
Recorded Announcement for Calls Diverted to External Trunks	1138
Remote Virtual Queueing	1139
Station Activity Records	1142
Trunk Anti-Tromboning	1144
Trunk Optimization (before answer)	1145
Trunk to Trunk Connection	1146
Virtual network services	1148
Virtual Network Services Virtual Directory Number Expansion	1155
Appendix A — Network Numbering	1161
Overview	1161
Network Numbering Plans	1162
Uniform Dialing	1163
Co-ordinated Dialing	1168
Vacant Number Routing	1170
Configuring Vacant Number Routing (VNR)	1174

Group Dialing	1175
Mixed Length CDP Networks	1175
Alternate Routing	1175
Calling Line Identity	1176
Private Network Hop Off	1176
Identification of On Network Numbers	1178
Number Lengths	1182
Access Control and Restrictions	1186
DPNSS1 Considerations	1188
OLI/CLI in a DPNSS1 Network	1189
Digit Conversion Interactions	1189
Local Steering Code Modification	1189
Network Attendant Service	1190
Configuring DID to Network Digit Conversion	1195
Q.931 Drop Back On Busy	1196

Appendix B — Basic and Network Alternate Route Selection

(BARS/NARS) 1197

Introduction	1197
Network class of service	1200
Basic/Network Alternate Route Selection	1202
Network control	1232
Network signaling	1234
Routing control	1237
Network traffic measurements	1239
BARS implementation	1242
NARS implementation	1253

Appendix C — Network Queuing 1265

Introduction	1265
Off-Hook Queuing	1266

Call-Back Queuing	1270
Coordinated Call-Back Queuing	1274
Call-Back Queuing to Conventional Mains	1278
Coordinated Call-Back Queuing Against Mains	1280